



AbelAuto

Depuis 1931



International
PROFESSIONAL RANGE
2022/2023



HISTORY

The Company was founded in 1802 by Mr. Abel. At that time, it was a small workshop manufacturer of cleaning products for leather and gun grease. The company was the official supplier of the Grand Army of Napoleon. This activity was carried out until 1929. It became a Limited Company with headquarters close to Paris. It specialized in the manufacture and marketing of polishes and waxes. Abel merged with the Bonnex Company, who were specialists in cleaning and tar removers and became Abel Bonnex. In 1980 a department was created for export to European countries, Africa and the DOM / TOM. In 2017, CMD, operating in the automotive aftermarket and owner of the Otokit brand, bought Abel Auto. CMD has a network of companies in Europe, which are producing and distributing products in all retail channels and organizing the local marketing. The headquarters of CMD are in Aix-en-Provence, in the south of France.

OUR PRODUCTS

With its strong reputation, the company offers a wide range of unique formulations to cover all consumer needs. The core business of Abel Auto has always been the polish-wax product offering which provides a real response to all bodywork coating technologies... Reducing application time, improving shine whilst optimising abrasion, are the challenges faced by our specialists. Abel Auto also offers a wide and varied range of specific automobile products, from washing to finishing, through the operation and repair; we cover all the needs of automotive professionals... Abel Auto Pro is a guarantee of absolute quality at a highly competitive price!



Manual Washing



High pressure spray



Foam gun



Cleaning gun



High pressure cleaner



Washing microfiber



Dosabel



Ready to use



Dipping



Polishing Machine

EXTERIOR CAR CARE PRODUCTS

WHEEL, TYRE	Page 3
SUPER DEGREASER, SHAMPOOS	Page 4
POLISHING-WAXING	Page 5

PROFESSIONAL POLISHING Range

Page 6

INTERIOR CAR CARE PRODUCTS

Page 18

Exterior car care PRODUCTS



WHEEL CLEANER

HIGHLIGHTS

- *Eliminates brake dusts, rubber residues, dirt and tar.*
- *To be used on coated wheels*
- *Result: Deep cleaning*

TIPS FOR USE

- Manual use with brush: dilution between 50 to 100% product according to dirt
- Low pressure spray: 50 to 100% product according to dirt
- High pressure spray: 15% product according to dirt
- ABEL POWER washing: 50 to 100 % product according to dirt, dilution: 1 volume product = 1 volume water. In any case, let it work a few seconds and rinse thoroughly with water preferably with high pressure.

5 Litres Code: 805802

Packing: 4 GENCOD: 3170658058023

Text in FR EN IT NL
PL PT AR



TYRE DRESSING

HIGHLIGHTS

- *Quick dry, no wiping*
- *To be used on tyre sides*
- *Result: Protection, intense black wet effect*

TIPS FOR USE

- Formula ready to use
- Spray the product

1 Litre Code: 842522

Packing: 12 GENCOD: 3170658425221

Text in FR EN IT NL
PL PT AR



GLASS CLEANER

HIGHLIGHTS

- *To be used:*
- *Inside: for greasy deposits due to condensation, aeration system marks, smoke of cigarette, fingers marks.*
- *Outside: dirt and projections linked with road grime, mud, pollution, exhaust gas.*
- *Remainings of protecting film on new cars glasses (paraffin or copolymers)*
- *Can be used on all types of interior and exterior glasses.*
- *Results: Cleans and does not leave any mark or reflect which could disrupt driving at night or in face of sun.*

TIPS FOR USE

Manual washing: to be used with a microfiber, anti static formula, Anti-uv.

Do not apply on steering wheel, gear lever and pedals

5 Litres Code: 842802
600 ml Code: 807702

Packing: 4 GENCOD: 3170658428024
Packing: 12 GENCOD: 3170658077024

Text in FR EN IT NL
PL PT AR



EXTERIOR PLASTICS RENOVATOR

HIGHLIGHTS

- *To be used on all types of interior and exterior plastic trims.*
- *Results: Cleans, protects and restores the original aspect to the interior trim. Restores a new appearance on hoses and engine protection cover. Silicone-free. Does not leave greasy traces on plastic. Quick drying in a few minutes with an anti-static effect. Pleasant perfume.*

TIPS FOR USE

Ready to use

5 Litres Code: 842653

Packing: 4 GENCOD: 3170658426532

Text in FR EN IT NL
PL PT AR

Exterior car care PRODUCTS


SUPER DEGREASER

HIGHLIGHTS

- Eliminates grease deposits, sludge or mud, brake dusts, fuel and burnt oils.
- To be used on mechanical spare parts, body cars, trucks, camping cars, wheels, all types of ground, service station trails.
- Results: Deeply cleans, removes deposits

TIPS FOR USE

- Dilution on engines, mechanical spare parts: Low pressure spray: 20% product // High pressure spray: 2% product // Dipping: to be applied with a paintbrush
 - Ground work shops, gas-oil trails:
Low pressure spray: 10 to 20% of pure product in cold water // High pressure spray: 2% product
 - Wheels : Low pressure spray: 10% product // High pressure: 3% product
 - Body car: Low pressure spray: 10% product // High pressure spray: 2 to 5% product according to dirt.
- In any case RINSE THOROUGHLY preferably with hot water with a high pressure gun.



5 Litres Code: 815202
20 Litres Code: 815302

Packing: 4 GENCOD: 3170658152028
Packing: 1 GENCOD: 3170658153025

Text in (FR) (EN) (IT) (NL)
(PL) (PT) (AR)

TFR CONCENTRATED SHAMPOO

HIGHLIGHTS

Eliminates traffic film, mud, greases

TIPS FOR USE

- Manual washing: dilution with 5% product and 95% water
- ABEL FOAM washing: 5% product
- Low pressure spray: 5% product
- High pressure spray: 2% product
- Dosabel doser measured between 6 and 10% (according to dirt)

For a better efficiency of TFR Shampoo, it is recommended to use a fine and aerated spray, the product will not bounce and will be attracted step by step toward paint without dropping.

20L Bottle = up to 400 washings vehicles



Text in (FR) (EN) (IT) (NL) (PL) (PT) (AR)

5 Litres Code: 846302 Packing: 4 GENCOD: 3170658463025
20 Litres Code: 846303 Packing: 1 GENCOD: 3170658463032

CONCENTRATED SHAMPOO

To be used for washing very dirty body cars. Dissolves grease and gives back to the car a clean, clear and shine aspect. Gets quickly rid of road grime, grease and gives back shine. Antistatic formula to reduce dirt build up. Self-drying. Manual use.

TIPS FOR USE

- Manual washing: 25 ml for 5 L of water (1 cap)
 - ABEL FOAM washing: 10 to 15% according to the required foam density
 - High pressure cleaner washing: 5% according to the intensity of wash
- 5 L bottle: 200 washes of vehicles
20 L bottle: up to 800 washes of vehicles



Text in (FR) (EN) (IT) (NL) (PL) (PT) (AR)

5 Litres Code: 809402 Packing: 4 GENCOD: 3170658094021
20 Litres Code: 809502 Packing: 1 GENCOD: 3170658095028

Exterior car care PRODUCTS



STRONG RUBBING COMPOUND P3

HIGHLIGHTS

- To be used for: scratches, defects of body car paints
- To be used on all types of coated and metalized paints
- Results: Strong buffing for major defects on paints, removes orange peel, foggings, oxidation, scratches or roughening.

Silicone free formula

TIPS FOR USE

- Manual use: for preparing surfaces to be painted. Manual application can be made with an abrasive pad.
- Polishing machine use with adapted pads:
 - Step 1 Hard pad Code 018110*
 - Wool pad Code 018115*
 - Step 2 Medium Pad Code 018120*

* According to the defect to be removed

For the most important defects, such as paint mists, oxidation, contaminations, scratches, it is recommended to use a polishing machine for a more important abrasion.

Text in (FR) (EN) (IT) (NL) (PL) (PT) (AR)
1 Kg Code: 813801 Packing: 6 GENCODE: 3170658138015



MEDIUM RUBBING COMPOUND P5

HIGHLIGHTS

- To be used for scratches, defects of body car paints
- To be used on all types of coated and metalized paints
- Results: Buffing, renews and gives back shine in one shot. Allows a good finish of holograms and elimination of casual fogging. Reduces orange peel and eliminates light scratches... Removes oxidation, renovates dull paints for getting an excellent shine.

Silicone free formula

TIPS FOR USE

- Manual use: for preparing surfaces to be painted. Manual application can be made with an abrasive pad.
- Polishing machine use with adapted pads:
 - Step 1 Hard pad Code 018110*
 - Wool pad Code 018115*
 - Step 2 Medium Pad Code 018120*

* According to the defect to be removed

For the most important defects, such as paint mists, oxidation, contaminations, scratches, it is recommended to use a polishing machine for a more important abrasion.

For a perfect finish especially on dark colors, use afterwards Abel Auto P9 Paste.

Text in (FR) (EN) (IT) (PT) (AR)
300 g Code: 814002 Packing: 24 GENCODE: 3170658140025
1 Kg Code: 893802 Packing: 6 GENCODE: 3170658938028



ABELISSIME

HIGHLIGHTS

- Purposes: Shining and Protection
- To be used on all types of good state and smooth coated and metalized paints.
- Results: Puts on the body a protective and insulating film and gives back to the paint a deep and long lasting shine. Paints treated with Abelissime delays fouling and the oxidation phenomenon is strongly slowed down.
- ABELISSIME is a combination of vegetal waxes combined with synthetic polymers.

TIPS FOR USE

- Manual use with a micro-fiber or ABEL AUTO COTTON WOOL in order to prepare areas to be painted
- Use with a polishing machine: Step 3 SOFT AND WAX Pad Code 018130

Text in (FR) (EN) (IT) (PT) (AR)
1 Litre Code: 835112 Packing: 6 GENCODE: 3170658051123



PROFESSIONAL POLISHING RANGE



Summary

Standard Process



Page 7



Page 8



Page 9

Abel Control



Page 10

Abel Protect



Page 11



Page 12

Premium Rapid Process




Page 13



Page 14

Abel Orbital Polishing Machine



Page 15

Guides



Pages 16-17

PROFESSIONAL POLISHING RANGE



Abel **STEP 1**

Strongly abrasive polish to remove scratches, swirls and the deepest imperfections.

To use with
Step 1 Hard Pad.

Code : **018110**
Packing : 6
Gencod : 3170650181101

OR

To use with
Wool Pad.

Code : **018115**
Packing : 6
Gencod : 3170650181156

Standard Process

Abel **STEP 1**



Abel **STEP 2**


Abel **STEP 3**

Step
CONTROL

Abel
PROTECT 4

OR

Abel
**PROTECT
Ultimate**



- Removes sanding scratches up to 1500 grain.
- Gives back shine to dull vehicles and allows overlapping areas to be rectified.

- **IDEAL ON HARD CLEAR COAT.**
- **LIGHT EMISSION OF DUST OR RESIDUES WHILE WORKING.**
- **EASY WIPING.**

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

250 ml Code: 017210 Packing: 12 GENCOD: 3170650172109
1 Litre Code: 017110 Packing: 6 GENCOD: 3170650171102

PROFESSIONAL POLISHING RANGE



Abel **STEP 2**

Medium abrasive polish made for minor paint flaws. Removes a fine layer of clear coat. Removes more abrasive polishing marks and light flaws (Micro-scratches, holograms).



To use with
Step 2 Medium Pad.

Code : **018120**

Packing : 6

Gencod : 3170650181200



Standard Process

Abel **STEP 1**

Abel **STEP 2**




Abel **STEP 3**

Step
CONTROL

Abel
PROTECT 4

OR

Abel
PROTECT
Ultimate



- Removes holograms and polishing marks of Abel Step 1.
- Removes sanding scratches up to 2000 with sheepskin or 2500 with a medium foam pad.
- Renew high shine in a single step.

- **CONVENIENT FOR ALL CLEAR COATS**
- **POLYVALENT TO SECURE AN EXCELLENT FINITION.**
- **LIGHT EMISSION OF DUST OR RESIDUES WHILE WORKING.**
- **EASY WIPING**

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

250 ml Code: 017220 Packing: 12 GENCOD: 3170650172208
1 Litre Code: 017120 Packing: 6 GENCOD: 3170650171201

PROFESSIONAL POLISHING RANGE



Abel **STEP 3**

Finition polish to remove minor clear coats flaws. Removes fogging, holo-grams and other imperfections left by more abrasive polishes used before.



To use with
Step 3 Soft & Wax Pad.

Code : **018130**
Packing : 6
Gencod : 3170650181309



Standard Process

Abel **STEP 1**

Abel **STEP 2**


▶ Abel **STEP 3**

Step
CONTROL

Abel
PROTECT 4

OR

Abel
PROTECT Ultimate



- Contains ultra fine polishing grains for a perfect finish after Abel Step 1 and 2.
- Provides your body car a deep shine and is suited to all clear coats.

- ▶ **FOR ALL TYPES OF CLEAR COATS: CLASSIC, MEDIUM AND HARD.**
- ▶ **LIGHT EMISSION OF DUST OR RESIDUES WHILE WORKING.**
- ▶ **EASY WIPING.**

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)


250 ml Code: 017230 Packing: 12 GENCOD: 3170650172307
1 Litre Code: 017130 Packing: 6 GENCOD: 3170650171300

PROFESSIONAL POLISHING RANGE



Step CONTROL

Allows to control surfaces in order to assess the level of correction to match or to verify the result before using the final waxing protection.



Hand use with a microfiber.
To be applied only on a cold surface.
By spraying lightly onto the surface and wipe immediately by using a clean microfiber.
Fold up the microfiber and wipe the panel carefully and perfectly.



Standard Process

Abel STEP 1

Abel STEP 2

Abel STEP 3

Step
CONTROL



Abel PROTECT 4

OR

Abel PROTECT
Ultimate



- Cleans the surface thoroughly, removing polish and grease residues.
- Allows 0 flaw application before applying the final protection
- Removes light dust traces and finger marks.

- SIMPLE AND DIRECT APPLICATION BY USING A HIGH QUALITY SPRAYING.
- SILICONE FREE FOR USING BEFORE PAINTING IN BODY CAR REPAIR SHOPS.
- TRIM SAFE.

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

500 ml Code: 017100 Packing: 10 GENCOD: 317065017003

PROFESSIONAL POLISHING RANGE



Abel PROTECT 4

*Finition product 2-in-1, silicone free.
Takes off fine fogging and holograms
while forming a protective film.*



To use with
Step 3 Soft & Wax Pad.

Code : 018130
Packing : 6
Gencod : 3170650181309



Standard Process

Abel STEP 1

Abel STEP 2

Abel STEP 3


Step
CONTROL

Abel PROTECT 4

OR

Abel PROTECT

Ultimate




- Removes superficial flaws.
- Provides a perfect shine, gives a very smooth lacquer finish.
- Does not prevent future paint retouching.

- PERFECT AND QUICK RESULT.
- AVOIDS THE ADHESION OF DIRT.
- SILICONE FREE.
- VOC FREE.

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

250 ml Code: 017240 Packing: 12 GENCOD: 3170650172406
1 Litre Code: 017140 Packing: 6 GENCOD: 3170650171409

PROFESSIONAL POLISHING RANGE



Abel **PROTECT** *Ultimate*

Gives a long lasting protection. Brings an uneven water beading effect and a deep ultimate shine. Protection with polymers of last generation.



To use with
Step 3 Soft & Wax Pad.

Code : **018130**

Packing : 6

Gencod : 3170650181309



Standard Process

Abel **STEP 1**

Abel **STEP 2**


Abel **STEP 3**

Step
CONTROL

Abel **PROTECT 4**

OR

Abel **PROTECT**
Ultimate



- Provides a deep shine and an excellent protection for around 3-4 months.
- Forms an invisible barrier against all types of contamination: weather conditions, dirt on the road, brake dust and industrial by-products.

- **LONG LASTING PROTECTION.**
- **CAN BE APPLIED ON RUBBERS AND TRIMS.**
- **CAN BE USED BY HANDS AS WELL AS BY MACHINE.**
- **VERY EASY TO USE.**

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

250 ml
1 Litre

Code: 017250
Code: 017150

Packing: 12
Packing: 6

GENCOD: 3170650172505
GENCOD: 3170650171508

PROFESSIONAL POLISHING RANGE



Abel **RAPID**



Very abrasive 3-in-1 polish based on aluminium oxyde against major flaws and particularly performing on high solid clear coats.

To use with
Step 1 Hard Pad.

Code : **018110**

Packing : 6

Gencod : 3170650181101

OR

To use with
Wool Pad.

Code : **018115**

Packing : 6

Gencod : 3170650181156

Rapid Process

Abel **RAPID**




Step
CONTROL

Abel
PROTECT 4

OR

Abel
PROTECT
Ultimate



- Removes very quickly sanding marks up to 1500 grain.
- Polishes back after sanding with grain 1500 with a sheepskin or 2000 with a hard foam.

- CAN BE USED ON ALL CLEAR COATS.
- GIVES A SHINY FINITION
- USING A FINISHING POLISH IS A OPTION. ENSURES IN ONE SINGLE OPERATION POLISHING PHASE AND BRINGS A GOOD FINITION BEFORE PROTECTING WITH ABEL PROTECT STEP 4 OR ULTIMATE.

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

250 ml Code: 017260 Packing: 12 GENCOD: 3170650172604
1 Litre Code: 017160 Packing: 6 GENCOD: 3170650171607

PROFESSIONAL POLISHING RANGE



Abel **RAPID**



Medium abrasive polish, 3-in-1 in one single application, corrects flaws, gives back a deep shine and protects. Removes imperfections such as minors flaws (fine micro-scratches and light holograms) as well as water stains.



To use with
Step 2 Medium Pad.

Code : **018120**
Packing : 6
Gencod : 3170650181200




Rapid Process

Abel **RAPID**



Abel
PROTECT
Ultimate



- Removes sanding marks up to 3000 with a medium foam pad.
- Provides an extremely shiny finish and protects in a single step.

- **FOR ALL TYPES OF PAINTS.**
- **VERY HIGH QUALITY POLISHING GRAINS, GIVES BACK A SMOOTH SURFACE.**
- **VERY EASY TO USE.**
- **PROTECTS THE BODY CAR FOR APPROXIMATELY ONE MONTH.**

Text in (EN) (ES) (IT) (NL) (PL) (PT) (AR)

250 ml Code: 017270 Packing: 12 GENCOD: 3170650172703
1 Litre Code: 017170 Packing: 6 GENCOD: 3170650171706

PROFESSIONAL POLISHING RANGE

AbelAuto ORBITAL POLISHING MACHINE 6"

*For a professional polishing or buffing.
Ergonomic non slip handle.
Starter trigger with lock button.
Adjustable speed (buttons +/-).
Control of speed with digital screen.*

- Disc Size : 6"/ 150 mm
- Orbital deport: 15 mm
- Speed: 2000-4800 turns/mn
- Spindle thread M14
- Absorbed power: 950W
- Weight: 2,9 KG
- Power cable length: 3 meters
- Voltage: 230V - 50 Hz
- Guarantee 2 years



Text in

Code: 115028

Packing: 1

GENCOD: 3170651150281

WOOL PAD

Code : **018115**
Packing : 6
Gencod : 3170650181156



STEP 2 MEDIUM PAD

Code : **018120**
Packing : 6
Gencod : 3170650181200



STEP 1 HARD PAD

Code : **018110**
Packing : 6
Gencod : 3170650181101



STEP 3 SOFT & WAX PAD

Code : **018130**
Packing : 6
Gencod : 3170650181309



PROFESSIONAL POLISHING RANGE

Standard Process



Rapid Process



PROFESSIONAL POLISHING RANGE



Gencod	Code	Designation	Size	Packing
3170650171102	017110 6	ABEL STEP 1	1 Liter	6
3170650172109	017210 12	ABEL STEP 1	250 ml	12
3170650171201	017120 6	ABEL STEP 2	1 Liter	6
3170650172208	017220 12	ABEL STEP 2	250 ml	12
3170650171306	017130 6	ABEL STEP 3	1 Liter	6
3170650172307	017230 12	ABEL STEP 3	250 ml	12
3170650171607	017160 6	ABEL RAPID 123	1 Liter	6
3170650172604	017260 12	ABEL RAPID 123	250 ml	12
3170650171706	017170 6	ABEL RAPID 234	1 Liter	6
3170650172703	017270 12	ABEL RAPID 234	250 ml	12
3170650171003	017100 10	STEP CONTROL	500 ml	10
3170650171409	017140 6	ABEL PROTECT 4 (Silicone Free)	1 Liter	6
3170650172406	017240 12	ABEL PROTECT 4 (Silicone Free)	250 ml	12
3170650171508	017050 6	ABEL PROTECT ULTIMATE	1 Liter	6
3170650172505	017250 12	ABEL PROTECT ULTIMATE	250 ml	12
3170650181101	018110 6	STEP 1 HARD PAD	ø 150 mm	6
3170650181156	018115 6	STEP 1 WOOL PAD	ø 150 mm	6
3170650181200	018120 6	STEP 2 MEDIUM PAD	ø 150 mm	6
3170650181309	018130 6	STEP 3 SOFT AND WAX PAD	ø 150 mm	6

Interior car care PRODUCTS



DG 12 UNIVERSAL INTERIOR CLEANER

HIGHLIGHTS

- *To be used on all interior surfaces: plastics, rubbers, upholstery, carpets*
- *Results: Cleans and removes stains deeply. Its light flow-red perfume leaves a pleasant fresh odor after use.*

TIPS FOR USE

- Manual wash: with brush: dilution between 5% and 10%
- Spray with low pressure: 10% to 20%
- ABELPOWER washing: 5% to 10% according to dirt
- Washing Injection/Extraction: 5% to 10%

For professional washing of interior cars but also at home or offices on same types of surfaces.

5 Litres Code: 846202 Packing: 4 GENCOD: 3170658462028

Text in FR EN IT NL
PL PT AR



INTERIOR PLASTICS RENOVATOR

HIGHLIGHTS

- *To be used on all types of interior plastic trims*
- *Results: Cleans, protects and restores the original aspect to the interior trim. Restores a new appearance on hoses and engine protection cover. Silicone-free. Does not leave greasy traces on plastic. Quick drying in a few minutes with an anti-static effect. Pleasant perfume.*

TIPS FOR USE

Ready to use

5 Litres Code: 842652 Packing: 4 GENCOD: 3170658426525

Text in FR EN IT NL
PL PT AR

Photos non contractuelles



GLASS CLEANER

HIGHLIGHTS

- *To be used : Inside :for fatty deposition due to condensation, aeration system marks, smoke of cigarette, fingers marks.*
- *Outside: dirt and projections linked with road grim, mud, pollution, exhaust gas*
- *Remainings of protecting film on new cars glasses (paraffin or copolymers)*
- *Can be used on all types of interior and exterior glasses.*
- *Results: Cleans and does not leave any mark or reflect which could disrupt driving at night or in face of sun.*

TIPS FOR USE

- Manual washing: to be used with a microfiber, anti static formula, Anti-uv.
- Do not apply on steering wheel, gear lever and pedals

5 Litres Code: 842802 Packing: 4 GENCOD: 3170658428024
600 ml Code: 807702 Packing: 12 GENCOD: 3170658077024

Text in FR EN IT NL
PL PT AR

Interior car care PRODUCTS



PLASTIC RENOVATOR

HIGHLIGHTS

- Eliminates dust, stains, cigarette smoke
- To be used on all types of inside plastic dull trims, dashboards (smooth, grained, dimpled, imitation leather)
- Results: Cleans, removes stains, protect and renews trims by giving a shiny finish. Leaves a pleasant perfume.

TIPS FOR USE

- To be used with a micro-fiber. Anti-static formula, Anti-uv
- Do not apply on steering wheel, gear lever and pedals.

600 ml Code: 808802 Packing: 12 GENCOD: 3170658088020

Text in FR EN IT NL
PL PT AR



PLASTIC RENOVATOR SILICONE FREE

HIGHLIGHTS

- Eliminates dust and stains
- To be used on all types of inside plastic trims
- Results: Cleans, removes stains and protects by giving a satin or slightly shiny aspect according to the plastic origin. Leaves a pleasant perfume. Silicone free.

TIPS FOR USE

- To be used with a micro-fiber. Anti-static formula, Anti-uv
- Do not apply on steering wheel, gear lever and pedals.

600 ml Code: 805002 Packing: 12 GENCOD: 3170658050027

Text in FR EN IT NL
PL PT AR



Export Managers

Éric LINGART Jean-Noël PELLERIN

+33 (0)6 62 96 13 42

ericlingart@orange.fr

Export Assistant

Pauline DURIEZ

+33 (0)4 42 39 16 16

export@cmd.fr



réalisation www.orangeplastic.fr

**Also available
Consumer Range**



AbelAuto
Depuis 1931

Consortium Moderne de Diffusion
715 rue Albert Einstein - CS 90501
13593 Aix-en-Provence CEDEX 3
France
Tel. +33 (0)4 42 39 78 39
www.abelauto.fr